抗抗增殖因子(TVPAAVVVAC)抗体,100ug(4.0mg/ml)

下载为PDF
产品图片



产品英文名称
Anti-Antiproliferative Factor (TVPAAVVVAC) Antibody, 100ug (4.0mg/mL)
产品别名
Kerafast独特的生物试剂
货号/SKU
EVA009
货号/规格
100ug (4.0mg/mL)
库存与交货期
1-2周
人民币价格
10285
人民币价格说明
本商品人民币2024年销售价格正在调整中，请等待更新完毕。

本商品的展示的人民币价格已包含商品本身金额、VAT增值税13%、国际运输运费、国内物流运费、运输保险、以及冷链包装材料（例如液氮罐、泡沫箱、金属桶、蓝冰、湿冰、干冰、蓄冷剂、液氮等）、装卸费、相关资料费、人力支出等一切费用。

本商品的美元价、市场价、零售价、厂商指导价或该商品的曾经展示过的销售价等，并非商品原价，仅供参考。

试剂海关审批
使用人负责A/B风险申请资质
国外采购
支持/部分需签MTA
厂牌
Kerafast, Inc.
品牌
Kerafast®
产品基础信息
From the laboratory of Susan K. Keay, MD, PhD, Department of Veterans Affairs.
产品描述信息

Product Type:	Antibody
Antigen:	TVPAAVVVAC
Molecular Weight:	929 Da

Clonality:	Polyclonal
Immunogen:	KLH-conjugated 10 amino acid peptide
Species Immunized:	New Zealand White Rabbit
Purification Method:	Protein A
Method Used to Determine Concentration:	OD280
Buffer:	PBS pH 7.4 with 0.1% sodium azide
Tested Applications:	APF bioassay/dot blot
Concentration:	4.0mg/mL
Storage:	-80C
Shipped:	Dry Ice

产品安全信息

Siddiqui MA, Ambre S, Keay SK, Rhyne JM, Zhang CO, Barchi JJ Jr. GlycoaminoAcid Analogues of the Thomsen-Friedenreich Tumor-Associated Carbohydrate Antigen:Synthesis and Evaluation of Novel Antiproliferative Factor Glycopeptides. ACSOmega. 2017 Sep 30;2(9):5618-5632. doi: 10.1021/acsomega.7b01018. Epub 2017 Sep8. PubMed PMID: 28983523; PubMed Central PMCID: PMC5623948.Keay SK, Zhang CO. Abnormal Akt signalling in bladder epithelial cell explantsfrom patients with interstitial cystitis/bladder pain syndrome can be induced by antiproliferative factor treatment of normal bladder cells. BJU Int. 2016Jul;118(1):161-72. doi: 10.1111/bju.13457. Epub 2016 Mar 29. PubMed PMID:26919663.Kim J, Keay SK, You S, Loda M, Freeman MR. A synthetic form of frizzled8-associated antiproliferative factor enhances p53 stability through USP2a andMDM2. PLoS One. 2012;7(12):e50392. doi: 10.1371/journal.pone.0050392. Epub 2012Dec 6. PubMed PMID: 23236372; PubMed Central PMCID: PMC3516501.Yang W, Kim Y, Kim TK, Keay SK, Kim KP, Steen H, Freeman MR, Hwang D, Kim J.Integration analysis of quantitative proteomics and transcriptomics dataidentifies potential targets of frizzled-8 protein-related antiproliferativefactor in vivo. BJU Int. 2012 Dec;110(11 Pt C):E1138-46. doi:10.1111/j.1464-410X.2012.11299.x. Epub 2012 Jun 28. PubMed PMID: 22738385; PubMedCentral PMCID: PMC3461241.Keay S, Leitzell S, Ochrzcin A, Clements G, Zhan M, Johnson D. A mouse modelfor interstitial cystitis/painful bladder syndrome based on APF inhibition ofbladder epithelial repair: a pilot study. BMC Urol. 2012 Jun 8;12:17. PubMedPMID: 22682521; PubMed Central PMCID: PMC3459789.Koch KR, Zhang CO, Kaczmarek P, Barchi J Jr, Guo L, Shahjee HM, Keay S. Theeffect of a novel frizzled 8-related antiproliferative factor on in vitrocarcinoma and melanoma cell proliferation and invasion. Invest New Drugs. 2012Oct;30(5):1849-64. doi: 10.1007/s10637-011-9746-x. Epub 2011 Sep 20. PubMed PMID:21931970.Yang W, Chung YG, Kim Y, Kim TK, Keay SK, Zhang CO, Ji M, Hwang D, Kim KP,Steen H, Freeman MR, Kim J. Quantitative proteomics identifies a beta-cateninnetwork as an element of the signaling response to Frizzled-8 protein-relatedantiproliferative factor. Mol Cell Proteomics. 2011 Jun;10(6):M110.007492. doi:10.1074/mcp.M110.007492. Epub 2011 Mar 21. PubMed PMID: 21422242; PubMed Central PMCID: PMC3108841.Keay S, Kaczmarek P, Zhang CO, Koch K, Szekely Z, Barchi JJ Jr, Michejda C.Normalization of proliferation and tight junction formation in bladder epithelialcells from patients with interstitial cystitis/painful bladder syndrome byd-proline and d-pipecolic acid derivatives of antiproliferative factor. Chem BiolDrug Des. 2011 Jun;77(6):421-30. doi: 10.1111/j.1747-0285.2011.01108.x. Epub 2011Apr 27. PubMed PMID: 21352500.Shahjee HM, Koch KR, Guo L, Zhang CO, Keay SK. Antiproliferative factordecreases Akt phosphorylation and alters gene expression via CKAP4 in T24 bladdercarcinoma cells. J Exp Clin Cancer Res. 2010 Dec 10;29:160. doi:10.1186/1756-9966-29-160. PubMed PMID: 21143984; PubMed Central PMCID:PMC3020166.Kim J, Ji M, DiDonato JA, Rackley RR, Kuang M, Sadhukhan PC, Mauney JR, Keay SK, Freeman MR, Liou LS, Adam RM. An hTERT-immortalized human urothelial cellline that responds to anti-proliferative factor. In Vitro Cell Dev Biol Anim.2011 Jan;47(1):2-9. doi: 10.1007/s11626-010-9350-y. Epub 2010 Dec 7. PubMed PMID:21136194; PubMed Central PMCID: PMC3029472.Kaczmarek P, Tocci GM, Keay SK, Adams KM, Zhang CO, Koch KR, Grkovic D, GuoL, Michejda CJ, Barchi JJ Jr. Structure-Activity Studies on AntiproliferativeFactor (APF) Glycooctapeptide Derivatives. ACS Med Chem Lett. 2010 Jul19;1(8):390-4. doi: 10.1021/ml100087a. eCollection 2010 Nov 11. PubMed PMID:24900223; PubMed Central PMCID: PMC4007904.Sun Y, Keay S, Lehrfeld TJ, Chai TC. Changes in adenosinetriphosphate-stimulated ATP release suggest association between cytokine andpurinergic signaling in bladder urothelial cells. Urology. 2009 Nov;74(5):1163-8.doi: 10.1016/j.urology.2009.02.066. Epub 2009 Jul 22. PubMed PMID: 19628257;PubMed Central PMCID: PMC2777753.Planey SL, Keay SK, Zhang CO, Zacharias DA. Palmitoylation of cytoskeletonassociated protein 4 by DHHC2 regulates antiproliferative factor-mediatedsignaling. Mol Biol Cell. 2009 Mar;20(5):1454-63. doi: 10.1091/mbc.E08-08-0849.Epub 2009 Jan 14. PubMed PMID: 19144824; PubMed Central PMCID: PMC2649263.Kim J, Keay SK, Freeman MR. Heparin-binding epidermal growth factor-likegrowth factor functionally antagonizes interstitial cystitis antiproliferativefactor via mitogen-activated protein kinase pathway activation. BJU Int. 2009Feb;103(4):541-6. doi: 10.1111/j.1464-410X.2008.08097.x. Epub 2008 Oct 16. PubMedPMID: 18990151; PubMed Central PMCID: PMC4000709.Kaczmarek P, Keay SK, Tocci GM, Koch KR, Zhang CO, Barchi JJ Jr, Grkovic D,Guo L, Michejda CJ. Structure-activity relationship studies for the peptideportion of the bladder epithelial cell antiproliferative factor from interstitialcystitis patients. J Med Chem. 2008 Oct 9;51(19):5974-83. doi: 10.1021/jm8002763.Epub 2008 Sep 13. PubMed PMID: 18788730; PubMed Central PMCID: PMC2778288.Keay S. Cell signaling in interstitial cystitis/painful bladder syndrome.Cell

Signal. 2008 Dec;20(12):2174-9. doi: 10.1016/j.cellsig.2008.06.004. Epub2008 Jun 19. Review. PubMed PMID: 18602988.Erickson DR, Tomaszewski JE, Kunselman AR, Stetter CM, Peters KM, Rovner ES, Demers LM, Wheeler MA, Keay SK. Urine markers do not predict biopsy findings orpresence of bladder ulcers in interstitial cystitis/painful bladder syndrome. JUrol. 2008 May;179(5):1850-6. doi: 10.1016/j.juro.2008.01.047. Epub 2008 Mar 18. PubMed PMID: 18353383; PubMed Central PMCID: PMC2705752.Keay S, Reeder JE, Koch K, Zhang CO, Grkovic D, Peters K, Zhang Y, Kusek JW, Nyberg LM, Payne CK, Propert KJ. Prospective evaluation of candidate urine andcell markers in patients with interstitial cystitis enrolled in a randomizedclinical trial of Bacillus Calmette Guerin (BCG). World J Urol. 2007Oct;25(5):499-504. Epub 2007 Aug 13. PubMed PMID: 17694391.Kim J, Keay SK, Dimitrakov JD, Freeman MR. p53 mediates interstitial cystitisantiproliferative factor (APF)-induced growth inhibition of human urothelialcells. FEBS Lett. 2007 Aug 7;581(20):3795-9. Epub 2007 Jul 2. PubMed PMID:17628545; PubMed Central PMCID: PMC1939966.Conrads TP, Tocci GM, Hood BL, Zhang CO, Guo L, Koch KR, Michejda CJ,Veenstra TD, Keay SK. CKAP4/p63 is a receptor for the frizzled-8 protein-related antiproliferative factor from interstitial cystitis patients. J Biol Chem. 2006Dec 8;281(49):37836-43. Epub 2006 Oct 8. PubMed PMID: 17030514.Chai TC, Keay S. New theories in interstitial cystitis. Nat Clin Pract Urol. 2004 Dec;1(2):85-9. Review. PubMed PMID: 16474520.Zhang CO, Wang JY, Koch KR, Keay S. Regulation of tight junction proteins andbladder epithelial paracellular permeability by an antiproliferative factor from patients with interstitial cystitis. J Urol. 2005 Dec;174(6):2382-7. PubMed PMID:16280852.Hanno P, Keay S, Moldwin R, Van Ophoven A. International Consultation on IC -Rome, September 2004/Forging an International Consensus: progress in painfulbladder syndrome/interstitial cystitis. Report and abstracts. Int Urogynecol JPelvic Floor Dysfunct. 2005 Jun;16 Suppl 1:S2-S34. PubMed PMID: 15883858.Keay SK, Szekely Z, Conrads TP, Veenstra TD, Barchi JJ Jr, Zhang CO, Koch KR,Michejda CJ. An antiproliferative factor from interstitial cystitis patients is afrizzled 8 protein-related sialoglycopeptide. Proc Natl Acad Sci U S A. 2004 Aug 10;101(32):11803-8. Epub 2004 Jul 28. PubMed PMID: 15282374; PubMed CentralPMCID: PMC511055.Rashid HH, Reeder JE, O'Connell MJ, Zhang CO, Messing EM, Keay SK.Interstitial cystitis antiproliferative factor (APF) as a cell-cycle modulator.BMC Urol. 2004 Apr 6;4:3. PubMed PMID: 15068487; PubMed Central PMCID: PMC411044.Keay S, Zhang CO, Chai T, Warren J, Koch K, Grkovic D, Colville H, Alexander R. Antiproliferative factor, heparin-binding epidermal growth factor-like growth factor, and epidermal growth factor in men with interstitial cystitis versuschronic pelvic pain syndrome. Urology. 2004 Jan;63(1):22-6. PubMed PMID:14751340.Keay S, Seillier-Moiseiwitsch F, Zhang CO, Chai TC, Zhang J. Changes in humanbladder epithelial cell gene expression associated with interstitial cystitis or antiproliferative factor treatment. Physiol Genomics. 2003 Jul 7;14(2):107-15.PubMed PMID: 12847144.Keay S, Zhang CO, Shoenfelt JL, Chai TC. Decreased in vitro proliferation of bladder epithelial cells from patients with interstitial cystitis. Urology. 2003 Jun;61(6):1278-84. PubMed PMID: 12809929.u Zhang CO, Li ZL, Shoenfelt JL, Kong CZ, Chai TC, Erickson DR, Peters KM,Rovner ES, Keay S. Comparison of APF activity and epithelial growth factor levelsin urine from Chinese, African-American, and white American patients withinterstitial cystitis. Urology. 2003 May;61(5):897-901. PubMed PMID: 12735999.Keay SK, Zhang CO, Shoenfelt J, Erickson DR, Whitmore K, Warren JW, Marvel R,Chai T. Sensitivity and specificity of antiproliferative factor, heparin-binding epidermal growth factor-like growth factor, and epidermal growth factor as urine markers for interstitial cystitis. Urology. 2001 Jun;57(6 Suppl 1):9-14. PubMedPMID: 11378043.Chai TC, Zhang C, Warren JW, Keay S. Percutaneous sacral third nerve rootneurostimulation improves symptoms and normalizes urinary HB-EGF levels andantiproliferative activity in patients with interstitial cystitis. Urology. 2000 May;55(5):643-6. PubMed PMID: 10792070.If you publish research with this product, please let us know so we can cite your paper.

主要内容

将该兔子多克隆抗体抗体抵抗半胱氨酰胺的抗增殖因子（APF）骨架（TVPAAVVVAC）产生，并识别APF骨架衍生物。烷增殖因子（APF）是低分子量，热稳定的唾液肽，其含有FRIZZLED的跨膜段。它是制造的由膀胱上皮细胞分泌的患者称为间质膀胱炎（IC），由于溃疡，出血和膀胱上皮的稀疏导致慢性疼痛。 APF通过抑制膀胱细胞增殖来促进IC的病理学，并显示出调节膀胱癌细胞的增殖。最近，CKAP4 / P63被鉴定为APF的受体，但其活性是如何介导的。通过苏珊K.柯伊，MD，博士，退伍军人事务部的实验室。

厂牌介绍

关于**Kerafast Inc.**

Kerafast 是一家位于波士顿的试剂公司，其主要使命是为QuanQiu科学界提供易于使用的独特实验室研究工具。我们的产品组合包括细胞系、抗体、小分子、染料等，其中许多在其他地方无法获得。自 2011 年成立以来，来自全球 190 多个机构的研究人员通过我们的在线平台提供了他们的创新试剂，无需通过传统的材料转让协议流程即可快速获取材料。

我们处理提供实验室的所有销售和运输物流，并从每次销售中返还丰厚的特许权使用费。因此，我们帮助提供实验室节省时间和资源，同时为进一步研究提供额外资金。采购科学家可以更轻松地发现和获取其他地方通常无法获得的独特试剂，同时还可以资助其他研究人员的工作。这创建了一个QuanQiu科学家社区，他们贡献和获取*Reagent for the Greater Good*，以加速他们自己的研究以及整体科学进步。

2018 年，Kerafast 与Absolute Antibody合并，后者是一家总部位于英国的公司，其愿景是为所有研究人员提供重组抗体技术。此次合并将两家公司聚集在一起，共同致力于改善科学界可用的研究工具的选择。

品牌标识

产品关键词
kerafast抗体ED2003
kerafast 抗体
kerafast国内代理商
kerafast
kerafast 代理
kerafast细胞
kerafast抗体代理
kerafast代理商
kerafast品牌
kerafast代理
kerafast细胞代购kerafast品牌代理
kerafast华北代理
美国kerafast公司
kerafast公司
进口kerafast代理
kerafast丁香通
kerafast中国代理
kerafast官网
kerafast抗体
kerafast专业代理
一键获取大包装优惠报价

- 无 -

选择您的报价场景

- 【我们直接使用】需要优惠报价、大包装规格、货期 -- ---->[报价默认含增值税13%发票；尽量提供货号、规格、需求数量]
- 【需要技术文档】产品说明书、COA、MSDS、手册 -- ---->[默认提供说明书或者COA，特别技术指标要求请下面填入详细描述]
- 【我帮客户找货】需要优惠报价、大包装规格、货期 -- ---->[报价默认含增值税13%发票]
- 【推荐替代产品】需要优惠报价、大包装规格、货期 -- ---->[提供替代产品的价格，默认含增值税13%发票]
- 【我能原厂直采】请只提供代理进口清关服务的报价 -- ---->[适合只需要进口许可证代办服务、清关服务的专业级买家，独立服务]
- 【其它报价场景】

请输入您的情况与报价要求 请输入您的情况与报价要求

报价要求详细描述

【如有请填写;若无留空即可】按10KG、25L大量采购的时候，是否可

贵单位贵姓 请输入您的单位名称或贵姓，以便于我们联系您

接受报价的E-mail 请输入您接受报价单的E-mail，例如:example@qq.com

马上发我报价

手机扫描二维码阅读本页

可能感兴趣的内容

NR-21695炭疽杆菌,炭疽菌株集合(ASC)531(英国爆发2009/2010)(细菌）
2022-04-01
NR-47552金黄色葡萄球菌亚种.金黄色葡萄球菌,JE2,转座子突变体NE1009(SAUSA300_0567)(突变细菌）
2022-04-01
NR-47039金黄色葡萄球菌亚种.金黄色葡萄球菌,USA300JE2,转座子突变体SAUSA300_1064(NE496)(突变细菌）
2022-04-01

NR-41892金黄色葡萄球菌,M1198(MRSA)(细菌）
2022-04-01
NR-48768新型隐球菌,KN99a(真菌）
2022-04-01
SEM电镜带M4孔45°/90°直径25mm铝制样品台电镜专用
2022-08-11
抗Aspergillus fumigatus [19h1]杂交瘤,1个小瓶
2021-12-21
NR-13356来自土拉弗朗西斯菌亚种的基因组DNA.novicida,菌株ΔIglA(核酸）
2022-04-01
人造模拟合成体液已校正（C-SBF）（BZ310）1000ml
2021-12-13
NR-13293含有来自结核分枝杆菌的基因Rv0899(蛋白质OmpA）的质粒pMRLB.42(质粒/载体）
2022-04-01
鼻须提升象鼻感知力
2022-06-17
NR-29381_Brugiamalayi,带有N端组氨酸标签的cHAT融合蛋白,大肠杆菌重组体
2022-04-01
LSC功能和特性的染色质三维调控景观获揭示
2022-01-10
不同施镁水平对哈密瓜产量和品质的影响
2022-06-17
NR-19729炭疽芽孢杆菌Gateway?克隆套装,在大肠杆菌中重组,板5(克隆）
2022-04-01
NR-51672鲍氏疏螺旋体,PBek(细菌）
2022-04-01
NR-31082单克隆抗西尼罗河病毒E蛋白、克隆MGAWN1(参考批次1-FIN-1027）、人源化IgG1(单克隆抗体）
2022-04-01
NR-18002结核分枝杆菌,CDC1551TransposonMutant1105(MT1988,Rv1938)(突变细菌）
2022-04-01
铬(Cr)溅射靶材,铟,纯度:99.95%,Size:3”,厚:0.125”
2024-01-21
NR-4372假结核耶尔森菌,IP2515(细菌）
2022-03-31