

Influenza Reagent Influenza virus infectious NIB-85 NIBSC code: 13/224 Instructions for use (Version 0.0, Dated 07/01/2014)

1. INTENDED USE

Reagent 13/224 is prepared from NIB-85 which was processed for freeze drying in 250µl volumes as described by Campbell, PJ, Journal of Biological Standardisation, 1974, 2,249-267. The known passage history of NIB-85 is attached

CAUTION

This preparation is not for administration to humans or animals in the human food chain.

The material is not of human or bovine origin. As with all materials of biological origin, this preparation should be regarded as potentially hazardous to health. It should be used and discarded according to your own laboratory's safety procedures. Such safety procedures should include the wearing of protective gloves and avoiding the generation of aerosols. Care should be exercised in opening ampoules or vials, to avoid cuts.

3. UNITAGE

No unitage is assigned to this material

CONTENTS

Country of origin of biological material: United Kingdom.

Each ampoule contains 250µl (nominal) of infectious influenza virus as allantoic fluid from SPF embryonated hen's eggs.

5. STORAGE

Store in the dark at -20°C or below

Please note: because of the inherent stability of lyophilized material, NIBSC may ship these materials at ambient temperature.

DIRECTIONS FOR OPENING

DIN ampoules have an 'easy-open' coloured stress point, where the narrow ampoule stem joins the wider ampoule body. Various types of ampoule breaker are available commercially. To open the ampoule, tap the ampoule gently to collect material at the bottom (labelled) end and follow manufactures instructions provided with the ampoule breaker.

7. USE OF MATERIAL

Reconstitute the contents of one ampoule of reagent with 250µl of sterile distilled water. Leave for a minimum of 5 minutes before use to allow for complete solution of freeze-dried material. A range of dilutions (e.g. 10⁻³ to 10⁻⁵) should be made in a suitable medium for initial cultivation.

Reference Materials should be stored on receipt as indicated on the

NIBSC follows the policy of WHO with respect to its reference materials.

REFERENCES

NA

10. **ACKNOWLEDGEMENTS**

NA

National Institute for Biological Standards and Control,

Potters Bar, Hertfordshire, EN6 3QG. T +44 (0)1707 641000, nibsc.org WHO International Laboratory for Biological Standards, **UK Official Medicines Control Laboratory**

11. FURTHER INFORMATION

Further information can be obtained as follows:

This material: enquiries@nibsc.org

WHO Biological Standards:

http://www.who.int/biologicals/en/

JCTLM Higher order reference materials: http://www.bipm.org/en/committees/jc/jctlm/

Derivation of International Units:

http://www.nibsc.org/standardisation/international_standards.aspx

Ordering standards from NIBSC: http://www.nibsc.org/products/ordering.aspx

NIBSC Terms & Conditions:

http://www.nibsc.org/terms_and_conditions.aspx

12. CUSTOMER FEEDBACK

Customers are encouraged to provide feedback on the suitability or use of the material provided or other aspects of our service. Please send any comments to enquiries@nibsc.org

13. CITATION

In all publications, including data sheets, in which this material is referenced, it is important that the preparation's title, its status, the NIBSC code number, and the name and address of NIBSC are cited and cited

14. MATERIAL SAFETY SHEET

Classification in accordance with Directive 2000/54/EC, Regulation (EC) No 1272/2008: Not applicable or not classified

| Physical and Chemical properties | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| Physical appearance: | Corrosive: No | | | | | | | | |
| white powder | | | | | | | | | |
| Stable: Yes | Oxidising: No | | | | | | | | |
| Hygroscopic: No | Irritant: No | | | | | | | | |
| Flammable: No | Handling:See caution, Section 2 | | | | | | | | |
| Other (specify): Live influenza virus | | | | | | | | | |
| Toxicological properties | | | | | | | | | |
| Effects of inhalation: | Likelihood of influenza virus infection | | | | | | | | |
| Effects of ingestion: | Not established, avoid ingestion | | | | | | | | |
| Effects of skin absorption: | Not established, avoid contact with skin | | | | | | | | |
| Suggested First Aid | | | | | | | | | |
| Inhalation: Seek medical advice | | | | | | | | | |
| Ingestion: Seek medical advice | | | | | | | | | |
| Contact with eyes: Wash with copious amounts of water. Seek medical advice | | | | | | | | | |
| Contact with skin: Wash | Contact with skin: Wash thoroughly with water. | | | | | | | | |
| Action on Spillage and Method of Disposal | | | | | | | | | |

Spillage of contents should be taken up with absorbent material wetted with an appropriate virucidal agent. Rinse area with an appropriate virucidal agent followed by water.

Absorbent materials used to treat spillage should be treated as biologically hazardous waste.

15. LIABILITY AND LOSS

In the event that this document is translated into another language, the English language version shall prevail in the event of any inconsistencies between the documents.

Unless expressly stated otherwise by NIBSC, NIBSC's Standard Terms and Conditions for the Supply of Materials (available at http://www.nibsc.org/About_Us/Terms_and_Conditions.aspx or upon request by the Recipient) ("Conditions") apply to the exclusion of all other





terms and are hereby incorporated into this document by reference. The Recipient's attention is drawn in particular to the provisions of clause 11 of the Conditions.

16. INFORMATION FOR CUSTOMS USE ONLY

Country of origin for customs purposes*: United Kingdom

* Defined as the country where the goods have been produced and/or sufficiently processed to be classed as originating from the country of supply, for example a change of state such as freeze-drying.

Net weight: NA

Toxicity Statement: Non-toxic

Veterinary certificate or other statement if applicable.

Attached: No

Passage history of NIB-85 (Post mixed infection)

| Passage | Lot | Laboratory | | | | | | |
|---------|-------|--------------------------|--|--|--|--|--|--|
| | | | | | | | | |
| | | | | | | | | |
| E-E4 | | NIBSC, Hertfordshire, UK | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| E5 | 36210 | NIBSC, Hertfordshire, UK | | | | | | |
| | | | | | | | | |
| | | | | | | | | |


Sterility: no visible contamination was detected in a variety of media (tryptose soya broth, thioglycolate broth, Sabouraud's broth and blood agar plates) after 14 days incubation.



Derivation of NIB-85

A/Almaty/2958/2013 (H3N2)-like High Growth Reassortant

Strain: A/Almaty/2958/2013 Received from NIMR # 131097, E3 (Am1Al2) Passage undertaken at NIBSC #35790, E4



Total number of passages since mixed infection= E5 SPF eggs were used for all passages. RT-PCR/RFLP analysis indicates that NIB-85 has HA, NA and PB1 genes from A/Almaty/2958/13 and M, NP, PB2, PA and NS genes from A/PR/8/34 making it a 5:3 reassortant.

National Institute for Biological Standards and Control, Potters Bar, Hertfordshire, EN6 3QG. T +44 (0)1707 641000, nibsc.org WHO International Laboratory for Biological Standards, UK Official Medicines Control Laboratory



| | | | | Haemagglutination inhibition titre ¹ | | | | | | | | | | | |
|-------------------------|------------------|----------------|-------------|---|---------|--------|---------------|---------------|----------|---------------|----------|----------|--------|--------|------------|
| - Viruses | - | _ | | Post infection ferret antisera | | | | | | | | | | | |
| | Coll | Collection | | A/Perth | A/Stock | A/lowa | A/Berlin | A/Vic | A/Athens | A/Texas | A/Samara | A/Almaty | A/HK | A/Tulk | NIB- 85 |
| | | Date | History | 16/09 | 18/11 | 19/10 | 93/11 | 361/11 | 112/12 | 50/12 | 73/13 | 2958/13 | 146/13 | 83/13 | |
| | | | | F35/11 | F28/11 | F15/11 | T/C F17/12 | T/C F11/13 | F16/12 | Egg F42/13 | F24/13 | F38/13 | F40/13 | F43/13 | F44/1 |
| | Genetic group | | | | 3A | 6 | 3C.1 | 3C.1 | 3B | 3C.1 | 3C.3 | 3C.3 | 3C.2 | 3C.3 | 3C. |
| REFERENCE VIRUSES | | | | | | | | | | | | | | | |
| A/Perth/16/2009 | | 2009-07- 04 | E3/E3 | 1280 | 320 | 320 | 640 | 320 | 640 | 320 | 320 | 160 | 320 | 160 | 32 |
| A/Stockholm/18/2011 | 3A | 2011-03- 28 | SIAT4 | 160 | 640 | 320 | 640 | 640 | 640 | 320 | 1280 | 320 | 640 | 320 | 32 |
| A/lowa/19/2010 | 6 | 2010-12- 30 | E3/E2 | 640 | 1280 | 2560 | 2560 | 2560 | 2560 | 1280 | 1280 | 1280 | 1280 | 1280 | 128 |
| A/Berlin/93/2011 | 3C.1 | 2011-12- 07 | NVD3/SIAT4 | 160 | 320 | 320 | 1280 | 640 | 640 | 320 | 1280 | 320 | 640 | 320 | 64 |
| A/Victoria/361/2011 | 3C.1 | 2011-10- 24 | MDCK2/SIAT6 | 160 | 320 | 320 | 1280 | 640 | 1280 | 320 | 1280 | 160 | 640 | 320 | 64 |
| A/Athens/112/2012 | 3B | 2012-02- 01 | SIAT4 | 160 | 320 | 320 | 640 | 640 | 1280 | 320 | 640 | 320 | 640 | 320 | 64 |
| A/Texas/50/2012 | 3C.1 | 2012-04- 15 | E5/E2 | 640 | 1280 | 1280 | 2560 | 1280 | 2560 | 2560 | 1280 | 2560 | 1280 | 2560 | 128 |
| A/Samara/73/2013 | 3C.3 | 2013-03- 12 | C1/SIAT2 | 320 | 640 | 320 | 1280 | 640 | 1280 | 640 | 1280 | 640 | 1280 | 1280 | 128 |
| A/Almaty/2958/2013 | 3C.3 | 2013-01- 27 | E5 | 320 | 1280 | 640 | 1280 | 640 | 1280 | 1280 | 1280 | 2560 | 1280 | 1280 | 128 |
| A/Hong Kong/146/2013 | 3C.2 | 2013-01- 11 | E5 | 320 | 1280 | 1280 | 1280 | 640 | 1280 | 640 | 1280 | 1280 | 2560 | 640 | 128 |
| A/Tulkarem/83/2013 | 3C.3 | | E5 | 320 | 1280 | 1280 | 2560 | 1280 | 1280 | 1280 | 1280 | 2560 | 1280 | 2560 | 128 |
| NIB-85 | 3C.3 | | E5/E1 | 640 | 1280 | 1280 | 2560 | 1280 | 1280 | 1280 | 2560 | 5120 | 1280 | 2560 | 2560 |
| 1. < = <40 | | | | | | | | | | | | | | | |

NIB-85 two-way HI antigenic analysis (Guinea Pig RBC with 20nM Oseltamivir) 2013-12-10 (performed at NIMR)