Medicines & Healthcare products Regulatory Agency



Influenza Reagent Influenza anti-A/Switzerland/9715293/2013-like HA serum NIBSC code: 15/134 Instructions for use (Version 2.0, Dated 09/03/2017)

1. INTENDED USE

Influenza antiserum reagent 15/134 is prepared for single radial diffusion assay of A/Switzerland/9715293/2013-like antigens using an appropriate NIBSC antigen reagent.

The antiserum reagent was prepared in sheep 618, 619, 628, 634, 635 and 636 using the purified HA of A/Switzerland/9715293/2013-like viruses. The HA antigens were extracted from purified virus by treatment with bromelain and purified by sedimentation on sucrose gradients (Brand, CN and Skehel, JJ, Nature, New Biology, 1972, 238, 145-147.

2. CAUTION

This preparation is not for administration to humans or animals in the human food chain.

The material is not of human or bovine origin. As with all materials of biological origin, this preparation should be regarded as potentially hazardous to health. It should be used and discarded according to your own laboratory's safety procedures. Such safety procedures should include the wearing of protective gloves and avoiding the generation of aerosols. Care should be exercised in opening ampoules or vials, to avoid cuts.

3. UNITAGE

No unitage is assigned to this material.

4. CONTENTS

Country of origin of biological material: United Kingdom.

The immunization schedule for sheep 618 and 619 was as follows: One dose of approximately 50 μ g of A/Switzerland/9715293/2013-like virus NIB-88 HA with Freund's Complete Adjuvant (FCA) was given intramuscularly, followed two weeks later with a 10 microgram dose of NIB-88 HA including Freund's Incomplete Adjuvant (FIA). Four further 10 microgram doses of NIB-88 HA, including FIA, were given at weekly intervals. Seven weeks after the initial immunization, sera were collected and sodium azide (0.05% w/v) added.

The immunization schedule for sheep 628 was as follows: One dose of approximately 50 µg of A/Switzerland/9715293/2013-like virus NIB88 HA with Freund's Complete Adjuvant (FCA) was given intramuscularly, followed two weeks later with a 10 microgram dose of A/Switzerland/9715293/2013-like virus NYMCX-247 HA including Freund's Incomplete Adjuvant (FIA). Two further 10 microgram doses of NYMCX-247 HA, including FIA, were given at weekly intervals. Five weeks after the initial immunization, serum was collected and sodium azide (0.05% w/v) added.

The immunization schedule for sheep 634 was as follows: One dose of approximately 50 µg of A/Switzerland/9715293/2013-like virus NIB88 HA, with Freund's Complete Adjuvant (FCA), was given intramuscularly, followed two weeks later with a 10 microgram dose of A/Switzerland/9715293/2013-like virus NYMCX-247 HA including Freund's Incomplete Adjuvant (FIA). Four further 10 microgram doses of NYMCX-247 HA, including FIA, were given weekly intervals. Eight weeks after the initial immunization, serum was collected and sodium azide (0.05% w/v) added.

The immunization schedule for sheep 635 and 636 was as follows: One dose of approximately 50 μ g of A/Switzerland/9715293/2013-like virus NYMCX-247 HA with Freund's Complete Adjuvant (FCA) was given intramuscularly, followed two weeks later with a 10 microgram dose of NYMCX-247 HA including Freund's Incomplete Adjuvant (FIA). Five further 10 microgram doses of NYMCX-247 HA, including FIA, were

National Institute for Biological Standards and Control,

Potters Bar, Hertfordshire, EN6 3QG. T +44 (0)1707 641000, nibsc.org WHO International Laboratory for Biological Standards,

UK Official Medicines Control Laboratory

given at weekly intervals. Eight weeks after the initial immunization, sera were collected and sodium azide (0.05% w/v) added.

Sera were then treated by an APHIS approved method for the inactivation of FMDV. The sera were pooled and then diluted 1:3.5 with PBS buffer containing sodium azide (0.05% w/v) and filled into vials in 2ml volumes.

5. STORAGE

The recommended storage temperature is +2-8°C.

However, if it is intended to store the reagent for long periods i.e.>2years, it may be stored at -20°C. The antiserum can be frozen and thawed without any adverse impact on use in the SRD assay

6. DIRECTIONS FOR OPENING

Vials have a screw cap; an internal stopper may also be present. The cap should be removed by turning anti-clockwise. Care should be taken to prevent loss of the contents. Please note: If a stopper is present on removal of the cap, the stopper should remain in the vial or be removed with the cap.

7. USE OF MATERIAL

For the assay of antigens containing 20-50 micrograms of HA activity in 1ml, 10μ I-15 μ I of the undiluted reagent should be added to 1ml agarose. It may be necessary to change the antiserum concentrations depending on the A/Switzerland/9715293/2013-like antigen standard used or according to local laboratory conditions.

Antiserum Reagent 15/134 should be used according to the method described by Wood, JM, Schild, GC, Newman, RW and Seagroatt, VA. Journal of Biological Standardisation, 1977, 5, 2.

8. STABILITY

It is the policy of WHO not to assign an expiry date to their international reference materials. They remain valid with the assigned potency and status until withdrawn or amended.

Reference materials are held at NIBSC within assured, temperaturecontrolled storage facilities. Reference Materials should be stored on receipt as indicated on the label. Once reconstituted, diluted or aliquoted, users should determine the stability of the material according to their own method of preparation, storage and use.

NIBSC follows the policy of WHO with respect to its reference materials.

Users who have data supporting any deterioration in the characteristics of any reference preparation are encouraged to contact NIBSC.Reference materials are held at NIBSC within assured, temperature-controlled storage facilities. Reference Materials should be stored on receipt as indicated on the label.

9. REFERENCES

None

10. ACKNOWLEDGEMENTS

None

11. FURTHER INFORMATION

Further information can be obtained as follows; This material: enquiries@nibsc.org WHO Biological Standards: http://www.who.int/biologicals/en/ JCTLM Higher order reference materials: http://www.bipm.org/en/committees/jc/jctlm/ Derivation of International Units: http://www.nibsc.org/standardisation/international_standards.aspx





Ordering standards from NIBSC: http://www.nibsc.org/products/ordering.aspx NIBSC Terms & Conditions: http://www.nibsc.org/terms_and_conditions.aspx

12. CUSTOMER FEEDBACK

Customers are encouraged to provide feedback on the suitability or use of the material provided or other aspects of our service. Please send any comments to enquiries@nibsc.org

13. CITATION

In all publications, including data sheets, in which this material is referenced, it is important that the preparation's title, its status, the NIBSC code number, and the name and address of NIBSC are cited and cited correctly.

14. MATERIAL SAFETY SHEET

Classification in accordance with Directive 2000/54/EC, Regulation (EC) No 1272/2008: Not applicable or not classified

Physical and Chemical properties		
Physical	Corrosive:	No
appearance: Liquid		
Stable:	Oxidising:	No
Yes	Ū	
Hygroscopic:	Irritant:	No
No		
Flammable:	Handling:	See caution, Section 2
No	_	
Other (specify): Contains Sheep Serum and Sodium Azide (0.05%		
w/v)		
Toxicological properties		
Toxicological properties		
Effects of inhalation: Not established, avoid inhalation		
Effects of ingestion: Not established, avoid		
ingestion		
Effects of skin absorption: Not established, avoid contact with		
skin		
Suggested First Aid		
Inhalation: S	Seek medical advice	
Ingestion: Seek medical advice		
	Wash with copious amounts of water. Seek	
n ,	medical advice	
Contact with skin: V	Wash thoroughly with water.	
Action on Spillage and Method of Disposal		
Spillage of ampoule contents should be taken up with absorbent		

material wetted with an appropriate disinfectant. Rinse area with an appropriate disinfectant followed by water. Absorbent materials used to treat spillage should be treated as biological waste.

15. LIABILITY AND LOSS

In the event that this document is translated into another language, the English language version shall prevail in the event of any inconsistencies between the documents.

Unless expressly stated otherwise by NIBSC, NIBSC's Standard Terms and Conditions for the Supply of Materials (available at http://www.nibsc.org/About_Us/Terms_and_Conditions.aspx or upon request by the Recipient) ("Conditions") apply to the exclusion of all other terms and are hereby incorporated into this document by

National Institute for Biological Standards and Control, Potters Bar, Hertfordshire, EN6 3QG. T +44 (0)1707 641000, nibsc.org WHO International Laboratory for Biological Standards, UK Official Medicines Control Laboratory reference. The Recipient's attention is drawn in particular to the provisions of clause 11 of the Conditions.

16. INFORMATION FOR CUSTOMS USE ONLY

Country of origin for customs purposes*: United Kingdom * Defined as the country where the goods have been produced and/or sufficiently processed to be classed as originating from the country of supply, for example a change of state such as freeze-drying. Net weight: 2g

Toxicity Statement: Non toxic Veterinary certificate or other statement if applicable. Attached: Yes SH618 SH619 SH628 SH634 SH635 SH636



Arturo Fernandez DVM MRCVS Named Veterinary Surgeon **Royal Veterinary College** Royal Veterinary College **Royal College Street** University of London LONDON NW10TU VETERINARY CERTIFICATE OF ANIMAL HEALTH This is to certify that I have examined a Sheep with ear tag number: UK 0241269 1459 [Virology no. SH618], which has been used in the production of blood antiserum between 22nd October 2014 and 9th December 2014. Both the ear tag number and the animals' record show that it is of UK origin. This animal was a breeding Ewe which became surplus to requirements. In my opinion at the time of clinical examination, the ewe was in good health and showed no clinical signs of infectious disease. Arturo Fernandez DVM MRCVS Named Veterinary Surgeon Arturo Fernandez DVM MRCVS Named Veterinary Surgeons (NVS) Group The Royal Veterinary College, Royal College Street, London NW1 0TU Mobile: 07733 103881, E-mail: arfernandez@rvc.ac.uk





VETERINARY CERTIFICATE OF ANIMAL HEALTH

This is to certify that I have examined a Sheep with ear tag number: UK 0241269 2304 [Virology no. SH619], which has been used in the production of blood antiserum between 22nd October 2014 and 9th December 2014. Both the ear tag number and the animals' record show that it is of UK origin.

This animal was a breeding Ewe which became surplus to requirements. In my opinion at the time of clinical examination, the ewe was in good health and showed no clinical signs of infectious disease.

Arturo Fernandez DVM MRCVS Named Veterinary Surgeon

> Arturo Fernandez DVM MRCVS Named Veterinary Surgeons (NVS) Group The Royal Veterinary College, Royal College Street, London NW1 0TU Mobile: 07733 103881, E-mail: <u>arfernandez@rvc.ac.uk</u>





VETERINARY CERTIFICATE OF ANIMAL HEALTH

This is to certify that I have examined a Sheep with ear tag number: UK 0241 2690 0998 [Virology no. SH628], which has been used in the production of blood antiserum between 1st April 2015 and 6th May 2015. Both the ear tag number and the animals' record show that it is of UK origin.

This animal was a breeding Ewe which became surplus to requirements. In my opinion at the time of clinical examination, the ewe was in good health and showed no clinical signs of infectious disease.

Arturo Fernandez DVM MRCVS Named Veterinary Surgeon

> Arturo Fernandez DVM MRCVS Named Veterinary Surgeons (NVS) Group The Royal Veterinary College, Royal College Street, London NW1 0TU Mobile: 07733 103881, E-mail: arfernandez@rvc.ac.uk





VETERINARY CERTIFICATE OF ANIMAL HEALTH

This is to certify that I have examined a Sheep with ear tag number: UK 0102108 01602 [Virology no. SH634], which has been used in the production of blood antiserum between 1st April 2015 and 27th May 2015. Both the ear tag number and the animals' record show that it is of UK origin.

This animal was a breeding Ewe which became surplus to requirements. In my opinion at the time of clinical examination, the ewe was in good health and showed no clinical signs of infectious disease.

Arturo Fernandez DVM MRCVS Named Veterinary Surgeon

> Arturo Fernandez DVM MRCVS Named Veterinary Surgeons (NVS) Group The Royal Veterinary College, Royal College Street, London NW1 0TU Mobile: 07733 103881, E-mail: arfemandez@rvc.ac.uk





VETERINARY CERTIFICATE OF ANIMAL HEALTH

This is to certify that I have examined a Sheep with ear tag number: UK 0241269 00541 [Virology no. SH635], which has been used in the production of blood antiserum between 1st April 2015 and 27th May 2015. Both the ear tag number and the animals' record show that it is of UK origin.

This animal was a breeding Ewe which became surplus to requirements. In my opinion at the time of clinical examination, the ewe was in good health and showed no clinical signs of infectious disease.

Arturo Fernandez DXM MRCVS Named Veterinary Surgeon

> Arturo Fernandez DVM MRCVS Named Veterinary Surgeons (NVS) Group The Royal Veterinary College, Royal College Street, London NW1 0TU Mobile: 07733 103881, E-mail: arfernandez@rvc.ac.uk





VETERINARY CERTIFICATE OF ANIMAL HEALTH

This is to certify that I have examined a Sheep with ear tag number: UK 0241269 01907 [Virology no. SH636], which has been used in the production of blood antiserum between 1st April 2015 and 27th May 2015. Both the ear tag number and the animals' record show that it is of UK origin.

This animal was a breeding Ewe which became surplus to requirements. In my opinion at the time of clinical examination, the ewe was in good health and showed no clinical signs of infectious disease.

Arturo Fernandez DVM MRCVS Named Veterinary Surgeon

> Arturo Fernandez DVM MRCVS Named Veterinary Surgeons (NVS) Group The Royal Veterinary College, Royal College Street, London NW1 0TU Mobile: 07733 103881, E-mail: arfernandez@rvc.ac.uk