



Influenza Reagent
Influenza anti A/Guangdong/17SF003/2016 (H7N9) HA serum
NIBSC code: 18/112
Instructions for use
(Version 1.0, Dated 12/06/2019)

1. INTENDED USE

Influenza antiserum reagent 18/112 is prepared in sheep for single radial diffusion assay of A/Guangdong/17SF003/2016-like antigens using an appropriate NIBSC antigen reagent.

2. CAUTION

This preparation is not for administration to humans or animals in the human food chain.

The material is not of human or bovine origin. As with all materials of biological origin, this preparation should be regarded as potentially hazardous to health. It should be used and discarded according to your own laboratory's safety procedures. Such safety procedures should include the wearing of protective gloves and avoiding the generation of aerosols. Care should be exercised in opening ampoules or vials, to avoid cuts.

3. UNITAGE

No unitage is assigned to this material.

4. CONTENTS

Country of origin of biological material: United Kingdom.
The antiserum reagent was prepared in sheep SH680 and 681 using the purified HA of A/Guangdong/17SF003/2016 virus. The HA antigens were extracted from purified virus by treatment with bromelain and purified by sedimentation on sucrose gradients (Brand, CN and Skehel, JJ, Nature, New Biology, 1972, 238, 145-147).

The immunisation schedules for sheep SH680 and SH681 were as follows: one dose of approximately 50 micrograms of NIBRG-375 HA with Freund's Complete Adjuvant was given intramuscularly, followed two weeks later with an approximate 10 microgram dose of HA with Freund's Incomplete Adjuvant (FIA). Three further approximate 10 microgram doses of HA with FIA were given at weekly intervals. Six weeks after the initial immunisation, serum was collected and sodium azide (0.05% w/v) was added.

Each serum was then treated by an APHIS approved method for the inactivation of FMDV. The sera were treated by maintenance of pH5.5 (or lower) for 30 minutes followed by restoration of the original pH.

The sera were pooled and diluted 1:2 with phosphate buffered saline containing sodium azide (0.05% w/v) and filled into vials in 2ml volumes.

5. STORAGE

+2-8°C

Since it is not known when these reagents for single radial diffusion assay of influenza subtypes of pandemic potential may be required, it is desirable that they have an indefinite shelf life and they are stored at NIBSC in colder conditions than reagents prepared for the assay of seasonal strains. It is assumed that a customer ordering this reagent, will use it within a short period similar to that for a conventional reagent. Consequently, this reagent is not normally shipped frozen and the recommended storage temperature is +2-8°C. However, if it is intended to store the reagent for long periods (i.e. >2 years), they may be stored at -20°C. The antiserum can be frozen and thawed without any adverse impact on its use in the SRD assay.

6. DIRECTIONS FOR OPENING

Vials have a screw cap; an internal stopper may also be present. The cap should be removed by turning anti-clockwise. Care should be taken to prevent loss of the contents. Please note: If a stopper is

present on removal of the cap, the stopper should remain in the vial or be removed with the cap.

7. USE OF MATERIAL

For the assay of antigens containing 20-50 micrograms of HA activity in 1ml, the amount of undiluted reagent to be added to 1ml agarose has to be optimised according to local laboratory conditions.

Antiserum Reagent 18/112 should be used according to the method described by Wood, JM, Schild, GC, Newman, RW and Seagroatt, VA. Journal of Biological Standardisation, 1977, 5, 2.

8. STABILITY

It is the policy of WHO not to assign an expiry date to their international reference materials. They remain valid with the assigned potency and status until withdrawn or amended.

Reference materials are held at NIBSC within assured, temperature-controlled storage facilities. Reference Materials should be stored on receipt as indicated on the label. Once reconstituted, diluted or aliquoted, users should determine the stability of the material according to their own method of preparation, storage and use.

NIBSC follows the policy of WHO with respect to its reference materials.

Users who have data supporting any deterioration in the characteristics of any reference preparation are encouraged to contact NIBSC. Reference materials are held at NIBSC within assured, temperature-controlled storage facilities. Reference Materials should be stored on receipt as indicated on the label.

9. REFERENCES

None

10. ACKNOWLEDGEMENTS

None

11. FURTHER INFORMATION

Further information can be obtained as follows:

This material: enquiries@nibsc.org

WHO Biological Standards:

<http://www.who.int/biologicals/en/>

JCTLM Higher order reference materials:

<http://www.bipm.org/en/committees/jc/jctlm/>

Derivation of International Units:

http://www.nibsc.org/standardisation/international_standards.aspx

Ordering standards from NIBSC:

<http://www.nibsc.org/products/ordering.aspx>

NIBSC Terms & Conditions:

http://www.nibsc.org/terms_and_conditions.aspx

12. CUSTOMER FEEDBACK

Customers are encouraged to provide feedback on the suitability or use of the material provided or other aspects of our service. Please send any comments to enquiries@nibsc.org

13. CITATION

In all publications, including data sheets, in which this material is referenced, it is important that the preparation's title, its status, the NIBSC code number, and the name and address of NIBSC are cited and cited correctly.

14. MATERIAL SAFETY SHEET



Classification in accordance with Directive 2000/54/EC, Regulation (EC) No 1272/2008: Not applicable or not classified

Physical and Chemical properties	
Physical appearance: Liquid	Corrosive: No
Stable: Yes	Oxidising: No
Hygroscopic: No	Irritant: No
Flammable: No	Handling: See caution, Section 2
Other (specify):	Contains Sheep Serum and Sodium Azide (0.05% w/v)
Toxicological properties	
Effects of inhalation:	Not established, avoid inhalation
Effects of ingestion:	Not established, avoid ingestion
Effects of skin absorption:	Not established, avoid contact with skin
Suggested First Aid	
Inhalation:	Seek medical advice
Ingestion:	Seek medical advice
Contact with eyes:	Wash with copious amounts of water. Seek medical advice
Contact with skin:	Wash thoroughly with water.
Action on Spillage and Method of Disposal	
Spillage of ampoule contents should be taken up with absorbent material wetted with an appropriate disinfectant. Rinse area with an appropriate disinfectant followed by water. Absorbent materials used to treat spillage should be treated as biological waste.	

15. LIABILITY AND LOSS

In the event that this document is translated into another language, the English language version shall prevail in the event of any inconsistencies between the documents.

Unless expressly stated otherwise by NIBSC, NIBSC's Standard Terms and Conditions for the Supply of Materials (available at http://www.nibsc.org/About_Us/Terms_and_Conditions.aspx or upon request by the Recipient) ("Conditions") apply to the exclusion of all other terms and are hereby incorporated into this document by reference. The Recipient's attention is drawn in particular to the provisions of clause 11 of the Conditions.

16. INFORMATION FOR CUSTOMS USE ONLY

Country of origin for customs purposes*: United Kingdom * Defined as the country where the goods have been produced and/or sufficiently processed to be classed as originating from the country of supply, for example a change of state such as freeze-drying.
Net weight: 2g
Toxicity Statement: Non toxic
Veterinary certificate or other statement if applicable.
Attached: Yes SH680 SH681



Olga Woolmer DVM, MRCVS
Named Veterinary Surgeon
Royal Veterinary College
Royal College Street
LONDON
NW1 0TU

VETERINARY CERTIFICATE OF ANIMAL HEALTH

This is to certify that I have examined a Sheep with ear tag number: UK 0102108 01587 [Virology no. SH680], which has been used in the production of blood antiserum between 10th January 2018 and 21st February 2018. Both the ear tag number and the animals' record show that it is of UK origin.

This animal was a breeding Ewe which became surplus to requirements. In my opinion at the time of clinical examination, the ewe was in good health and showed no clinical signs of infectious disease.



Olga Woolmer DVM, MRCVS
Named Veterinary Surgeon

Arturo Fernandez DVM MRCVS
Named Veterinary Surgeons (NVS) Group
The Royal Veterinary College, Royal College Street, London NW1 0TU
Mobile: 07733 103881, E-mail: arfernandez@rvc.ac.uk



Olga Woolmer DVM, MRCVS
Named Veterinary Surgeon
Royal Veterinary College
Royal College Street
LONDON
NW1 0TU

VETERINARY CERTIFICATE OF ANIMAL HEALTH

This is to certify that I have examined a Sheep with ear tag number: UK 0107570 04110 [Virology no. SH681], which has been used in the production of blood antiserum between 10th January 2018 and 21st February 2018. Both the ear tag number and the animals' record show that it is of UK origin.

This animal was a breeding Ewe which became surplus to requirements. In my opinion at the time of clinical examination, the ewe was in good health and showed no clinical signs of infectious disease.



Olga Woolmer DVM, MRCVS
Named Veterinary Surgeon

Arturo Fernandez DVM MRCVS
Named Veterinary Surgeons (NVS) Group
The Royal Veterinary College, Royal College Street, London NW1 0TU
Mobile: 07733 103881, E-mail: arfernandez@rvc.ac.uk