



Influenza Reagent
Influenza Virus Infectious NYMC X-393A
(A/West Virginia/30/2022) (H1N1)
NIBSC code: 23/154
Instructions for use
(Version 1.0, Dated 21/07/2023)

§

1. INTENDED USE

Reagent 23/154 was prepared from NYMC X-393A (H1N1), a reassortant of A/West Virginia/30/2022 (H1N1) and X-157 (H3N2), which was processed in 250µl volumes as liquid stock. The derivation and known passage history of 23/154 are attached.

2. CAUTION

This preparation is not for administration to humans or animals in the human food chain.

The material is not of human or bovine origin.

As with all materials of biological origin, this preparation should be regarded as potentially hazardous to health. It should be used and discarded according to your own laboratory's safety procedures. Such safety procedures should include the wearing of protective gloves and avoiding the generation of aerosols. Care should be exercised in opening ampoules or vials, to avoid cuts.

3. UNITAGE

No unitage is assigned to this material.

4. CONTENTS

Country of origin of biological material: United Kingdom. Each ampoule contains 250µl (nominal) of infectious influenza virus as allantoic fluid from SPF embryonated chicken eggs.

5. STORAGE

Store in the dark at -70°C or below.

6. DIRECTIONS FOR OPENING

Vials have a screw cap; an internal stopper may also be present. The cap should be removed by turning anti-clockwise. Care should be taken to prevent loss of the contents. Please note: If a stopper is present on removal of the cap, the stopper should remain in the vial or be removed with the cap.

7. USE OF MATERIAL

Ready to use

8. STABILITY

Reference Materials should be stored on receipt as indicated on the label.

NIBSC follows the policy of WHO with respect to its reference materials.

9. REFERENCES

NA

10. ACKNOWLEDGEMENTS

NA

11. FURTHER INFORMATION

Further information can be obtained as follows;

WHO Biological Standards: http://www.who.int/biologicals/en/ JCTLM Higher order reference materials: http://www.bipm.org/en/committees/jc/jctlm/ Derivation of International Units:

http://www.nibsc.org/standardisation/international_standards.aspx

Ordering standards from NIBSC:

http://www.nibsc.org/products/ordering.aspx

NIBSC Terms & Conditions:

http://www.nibsc.org/terms_and_conditions.aspx

12. CUSTOMER FEEDBACK

Customers are encouraged to provide feedback on the suitability or use of the material provided or other aspects of our service. Please send any comments to enquiries@nibsc.org

13. CITATION

In all publications, including data sheets, in which this material is referenced, it is important that the preparation's title, its status, the NIBSC code number, and the name and address of NIBSC are cited and cited correctly.

14. MATERIAL SAFETY SHEET

Classification in accordance with Directive 2000/54/EC, Regulation (EC) No 1272/2008: Not applicable or not classified

(EC) No 1272/2008: Not applicable or not classified						
Physical and Chemical properties						
Physical appearance:		Corrosive: No				
Clear liquid						
Stable:	Yes	Oxidising: No				
Hygroscopic: N	Vo	Irritant: No				
Flammable: N	Vo	Handling: See caution, Section 2				
Other (specify): L	Other (specify): Live influenza virus					
Toxicological properties						
Effects of inhalation		Likelihood of influenza virus infection				
ÿ		ot established, avoid ingestion				
		Not established, avoid contact with				
absorption:	Sk	kin				
Suggested First Aid						
Inhalation:	Seek medical advice					
Ingestion: Seek medical advice						
Contact with	Wash with copious amounts of water. Seek					
eyes:	medical advice					
Contact with skin:	Wash thoroughly with water.					
Action on Spillage and Method of Disposal						

15. LIABILITY AND LOSS

biologically hazardous waste.

In the event that this document is translated into another language, the English language version shall prevail in the event of any inconsistencies between the documents.

Spillage of contents should be taken up with absorbent material

wetted with an appropriate virucidal agent. Rinse area with an

Absorbent materials used to treat spillage should be treated as

appropriate virucidal agent followed by water.

Potters Bar, Hertfordshire, EN6 3QG. T +44 (0)1707 641000, nibsc.org WHO International Laboratory for Biological Standards, UK Official Medicines Control Laboratory



Unless expressly stated otherwise by NIBSC, NIBSC's Standard Terms and Conditions for the Supply of Materials (available at http://www.nibsc.org/About_Us/Terms_and_Conditions.aspx or upon request by the Recipient) ("Conditions") apply to the exclusion of all other terms and are hereby incorporated into this document by reference. The Recipient's attention is drawn in particular to the provisions of clause 11 of the Conditions.

16. INFORMATION FOR CUSTOMS USE ONLY

Country of origin for customs purposes*: United Kingdom

* Defined as the country where the goods have been produced and/or sufficiently processed to be classed as originating from the country of supply, for example a change of state such as freezedrying.

Net weight: 0.25g per ampoule

Toxicity Statement: Non-toxic

Veterinary certificate or other statement if applicable.

Attached: No

Passage history of NYMC X-393A (H1N1)

Cumulative number of passages	Passage numbers at each stage	Lot	Laboratory
E3	E3	3030726621	CDC, USA
E12	E3/E9	E#6552	NYMC, USA
E13	E3/E9/E1	47650*	MHRA, UK

^{*} The HA titre of this virus using 0.7% turkey red blood cells is 512. The infectious titre is unknown.

Sterility: No visible contamination was detected in a variety of media (tryptose soya broth, thioglycolate broth, Sabouraud's broth and blood agar plates) after 14 days incubation.

The HA and NA sequence of this virus are available at GISAID with the accession number EPI_ISL_17980707.



Derivation of NYMC X-393A A/West Virginia/30/2022 (H1N1pdm) with NYMC X-157 CL-3 High Yield A H1N1pdm Reassortant (6:2) with A/PR/8/34 M, PB1, PB2, PA, NS and NP genes and A/West Virginia/30/2022 HA and NA genes


Exper. # 4896 I

A/West Virginia/30/2022, H1N1pdm


CDC 3030726621

Spf 3 HA: 256

Passages at New York Medical College







HA Yield by UPLC Analysis (µg HA/ml allantoic fluid)

wt (wild type)	X-393A	Fold Increase
3.1	5.6	1.8

HA and NA genes were identified as A/West Virginia/30/2022 by RT-PCR/RFLP gene analysis. The M, PB1, PB2, PA, NS and NP genes were identified as A/PR/8/34 by RT-PCR/RFLP analysis.

SPF eggs were used for all reassortant passages.

Virus seed was shown to be sterile. Sterility testing was performed by streaking the sample on blood agar plates and incubating for 48 hours at 37 °C.

All titers performed with chicken red blood cells.