

Influenza Reagent
Influenza anti B/Ann Arbor/1/86/ HA Serum
NIBSC code: 86/592
Instructions for use
(Version 4.0, Dated 29/03/2008)

1. INTENDED USE

Influenza antiserum reagent 86/592 is prepared in sheep for the single radial diffusion assay of B/Ann Arbor/1/88 antigens.

2. CAUTION

<u>This preparation is not for administration to humans or animals in the human food chain.</u>

The material is not of human or bovine origin. As with all materials of biological origin, this preparation should be regarded as potentially hazardous to health. It should be used and discarded according to your own laboratory's safety procedures. Such safety procedures should include the wearing of protective gloves and avoiding the generation of aerosols. Care should be exercised in opening ampoules or vials, to avoid cuts.

3. UNITAGE

No unitage is assigned to this material.

4. CONTENTS

Country of origin of biological material: United Kingdom.

The antiserum was prepared in a Sheep (SH75) to the purified HA of B/Ann Arbor/1/88 virus. The HA antigen was extracted from purified virus by treatment with bromelain and purified by sedimentation on sucrose gradients (Brand, C N and Skehel JJ, Nature, New Biology, 1972, 238, 145-147). One dose of approximately 25 micrograms of HA with Freund's complete adjuvant (FCA) was given intramuscularly followed 3 weeks later by two further doses of 12 micrograms of HA with at one week intervals. Six weeks after the initial immunization, serum was collected, diluted 1:8 with phosphate-buffered saline and processed for freezedrying in 1 ml volumes as described by Campbell P J, Journal of Biological Standardization, 1974, 2, 249-267. The mean weight of 34 ampoules, test weighed was 1.10g with a coefficient of variation of 9.25%.


5. STORAGE

-20°C

Please note: because of the inherent stability of lyophilized material, NIBSC may ship these materials at ambient temperature.

6. DIRECTIONS FOR OPENING

Tap the ampoule gently to collect the material at the bottom (labelled) end. Ensure ampoule is scored all round at the narrow part of the neck, with a diamond or tungsten carbide tipped glass knife file or other suitable implement before attempting to open. Place the ampoule in the ampoule opener, positioning the score at position 'A'; shown in the diagram below. Surround the ampoule with cloth or layers of tissue paper. Grip the ampoule and holder in the hand and squeeze at point 'B'. The ampoule will snap open. Take care to avoid cuts and projectile glass fragments that enter eyes. Take care that no material is lost from the ampoule and that no glass falls into the ampoule.



Side view of ampoule opening device containing an ampoule positioned ready to open. 'A' is the score mark and 'B' the point of applied pressure.

7. USE OF MATERIAL

No attempt should be made to weigh out any portion of the material

Reconstitute with total contents of one ampoule of Reagent with 1 ml of distilled water. Allow to stand fro a minimum of 5 minutes before use to allow for complete solution of the freeze-dried material. For the assay of virus antigens containing 20-50 micrograms of HA activity in 1 ml, 18 μ l

Of the Reagent solution should be added to 1 ml of molten agarose. Antigens of lower concentration (5-20 micrograms HA/ml are assayed by adding 9 µl of the reagent solution to 1 ml agarose.

Antiserum Reagent 00/442 should be used according to the method described by Wood, JM, Schild, GC, Newman, RW and Seagroatt, VA Jornal of Biological Standarisation, 1977, 5, 237-247.

8. STABILITY

It is the policy of WHO not to assign an expiry date to their international reference materials. They remain valid with the assigned potency and status until withdrawn or amended.

Reference materials are held at NIBSC within assured, temperature-controlled storage facilities. Reference Materials should be stored on receipt as indicated on the label. Once reconstituted, diluted or aliquoted, users should determine the stability of the material according to their own method of preparation, storage and use.

NIBSC follows the policy of WHO with respect to its reference materials.

Users who have data supporting any deterioration in the characteristics of any reference preparation are encouraged to contact NIBSC.Reference materials are held at NIBSC within assured, temperature-controlled storage facilities. Reference Materials should be stored on receipt as indicated on the label.

9. REFERENCES

None

10. ACKNOWLEDGEMENTS

None

11. FURTHER INFORMATION

Further information can be obtained as follows; This material: enquiries@nibsc.org WHO Biological Standards: http://www.who.int/biologicals/en/ JCTLM Higher order reference materials:

Potters Bar, Hertfordshire, EN6 3QG. T +44 (0)1707 641000, nibsc.org WHO International Laboratory for Biological Standards, UK Official Medicines Control Laboratory



http://www.bipm.org/en/committees/jc/jctlm/

Derivation of International Units:

http://www.nibsc.org/standardisation/international_standards.aspx Ordering standards from NIBSC:

http://www.nibsc.org/products/ordering.aspx

NIBSC Terms & Conditions:

http://www.nibsc.org/terms_and_conditions.aspx

12. CUSTOMER FEEDBACK

Customers are encouraged to provide feedback on the suitability or use of the material provided or other aspects of our service. Please send any comments to enquiries@nibsc.org

13. CITATION

In all publications, including data sheets, in which this material is referenced, it is important that the preparation's title, its status, the NIBSC code number, and the name and address of NIBSC are cited and cited correctly.

14. MATERIAL SAFETY SHEET

Classification in accordance with Directive 2000/54/EC, Regulation (EC) No 1272/2008: Not applicable or not classified

(EC) NO 1272/2008. Not applicable of not classified		
Physical and Chemical properties		
Physical	Corrosive:	No
appearance: Liquid		
Stable:	Oxidising:	No
Yes		
Hygroscopic:	Irritant:	No
No		
Flammable:	Handling:	See caution, Section 2
No		
Other (specify): Contains Sheep Serum and Sodium Azide (0.05%		
w/v)		
Toxicological properties		
Effects of inhalation: Avoid inhalation		
Effects of ingestion: Avoid ingestion		
Effects of skin absorption: Avoid contact with skin		
Suggested First Aid		
Inhalation: S	nhalation: Seek medical advice	
Ingestion: Seek medical advice		
Contact with eyes: V	s: Wash with copious amounts of water. Seek	
medical advice		
Contact with skin: Wash thoroughly with water.		
Action on Spillage and Method of Disposal		

Spillage of ampoule contents should be taken up with absorbent material wetted with an appropriate disinfectant. Rinse area with an appropriate disinfectant followed by water.

Absorbent materials used to treat spillage should be treated as biological waste.

15. LIABILITY AND LOSS

In the event that this document is translated into another language, the English language version shall prevail in the event of any inconsistencies between the documents.

Unless expressly stated otherwise by NIBSC, NIBSC's Standard Terms and Conditions for the Supply of Materials (available at http://www.nibsc.org/About_Us/Terms_and_Conditions.aspx or upon request by the Recipient) ("Conditions") apply to the exclusion of all other terms and are hereby incorporated into this document by

National Institute for Biological Standards and Control,

Potters Bar, Hertfordshire, EN6 3QG. T +44 (0)1707 641000, nibsc.org WHO International Laboratory for Biological Standards, UK Official Medicines Control Laboratory



reference. The Recipient's attention is drawn in particular to the provisions of clause 11 of the Conditions.

16. INFORMATION FOR CUSTOMS USE ONLY

Country of origin for customs purposes*: United Kingdom

* Defined as the country where the goods have been produced and/or sufficiently processed to be classed as originating from the country of supply, for example a change of state such as freeze-drying.

Net weight: 1g

Toxicity Statement: Non toxic

Veterinary certificate or other statement if applicable.

Attached: No